

Your ref: WK/180017966  
Our ref: JS/ENI.1.4

38a Monmouth Street  
London WC2H 9EP  
tel: 020 7042 0410  
fax: 020 7379 6618

Licensing - Public Protection  
Islington Council  
222 Upper Street  
London, N1 1XR

By email: [licensing@islington.gov.uk](mailto:licensing@islington.gov.uk)

21 August 2018

Dear Sirs

**Licensing Act 2003**  
**Old Sessions House, 22 Clerkenwell Green, London EC1R 0NA**

We refer to our client's application for a new Premises Licence in respect of the above premises.

We would be grateful for the Council's clarification in respect of the premises' location relative to the Clerkenwell cumulative impact area.

The premises appears outside the Clerkenwell Cumulative Impact Area when referring to the maps published at page 12 of the 2013– 2017 Statement of Licensing policy and the Licensing Policy Review 2017 document.

It appears a different map was published on page 12 of the current 2018– 2022 Statement of Licensing Policy. Although it is not entirely clear, the premises appears to be within the Clerkenwell cumulative impact area on this map.

The analysis and proposals contained in the Licensing Policy Review 2017 document rely upon and break down the number of licensed premises within the existing area. There appear to be no proposals in the consultation documents to extend the Clerkenwell Cumulative Impact Area.

We would be grateful for your clarification in respect of this matter ahead of the hearing scheduled for 30 August 2018. In the meantime, the applicant reserves its rights in respect of submissions made under the Cumulative Impact Area Policy, and in respect of any discrepancies in the policy consultation process and/or map included on page 12 of the current Statement of Licensing Policy.

Yours faithfully

**Thomas & Thomas Partners LLP**  
tel: 020 7042 0413  
email: [jspiegler@tandtp.com](mailto:jspiegler@tandtp.com)